TAWIL

PIPE FITTINGS

HTTP://WWW.DIFITTINGS.COM

TAIYUAN WATER INDUSTRIAL CO.,LTD
TAIYUAN,SHANXI CHINA 030006
EMAIL: INFO@TAWILINC.COM
TEL: 0086 351 7239569
HOT LINE: 0086 13653605447

FLANGE ADAPTER

FLEXIBLE COUPLING

SADDLE CLAMP

DISMATLING JOINT

UNI FLANGE

REPAIR CLAMP

GIBAULT JOINT FOR PVC PIPE

TAWIL *is short name of* ***TAIYUAN WATER INDUSTRIAL CO.LTD***

located in Shanxi China, is specialized in mafufacturing Pipe Fittings since 2002.



Item	Specification			Unit Weight
	L	DN	PIPE OD	
	mm	mm	mm	kg
1	140	DN50	63	1.8
2	140	DN60	75	2.4
3	150	DN80	90	2.8
4	150	DN100	110	3.6
5	150	DN125	125	4.2
6	150	DN140	140	5.8
7	150	DN150	160	6.9
8	190	DN200	225	8.6
9	200	DN250	280	18
10	200	DN300	315	22

Your Investment, Our Commitment .....

email:info@tawilinc.com Tel:0086 351 7239569 Fax:0086 351 5698354

FLANGE ADAPTER FOR PVC PIPE ONLY PN16

TAWIL *is short name of* ***TAIYUAN WATER INDUSTRIAL CO.LTD***

located in Shanxi China, is specialized in mafufacturing Pipe Fittings since 2002.



Item	Description		Unit Weight
	DN	PIPE OD	
	mm	mm	kg
1	DN50	63	3.2
2	DN75	75	3.5
3	DN80	90	4.5
4	DN100	110	6.4
5	DN150	160	8.8
6	DN200	225	11.7
7	DN250	280	18.5
8	DN300	315	26

email:info@tawilinc.com Tel:0086 351 7239569 Fax:0086 351 5698354

FLEXIBLE COUPLING FOR PVC ONLY L=178

TAWIL ***is*** ***short name of*** ***TAIYUAN WATER INDUSTRIAL CO.LTD***

located in Shanxi China, is specialized in mafufacturing Pipe Fittings since 2002.



Item	Description		Unit Weight
	DN	PIPE OD	
	mm	mm	kg
1	DN50	63	4.2
2	DN60	75	5.2
3	DN80	90	5.8
4	DN100	110	6.5
5	DN150	160	9.3
6	DN200	225	17
7	DN250	280	20
8	DN300	315	35

email:info@tawilinc.com Tel:0086 351 7239569 Fax:0086 351 5698354

UNI-FLANGE

TAWIL *is short name of* ***TAIYUAN WATER INDUSTRIAL CO.LTD***

located in Shanxi China, is specialized in mafufacturing Pipe Fittings since 2002.



Item	Description		Unit Weight
	DN	PIPE OD	
	mm	mm	kg
1	DN80	98	4.8
2	DN100	118	5.5
3	DN150	170	7.8
4	DN200	222	12.5
5	DN250	274	14
6	DN300	326	19
7	DN350	378	31
8	DN400	429	35
9	DN450	480	45
10	DN500	532	60
11	DN600	635	90

Your Investment, Our Commitment .....

email:info@tawilinc.com Tel:0086 351 7239569 Fax:0086 351 5698354

FLANGED ADAPTOR/COUPLING FOR PE PIPE

TAWIL *is short name of* ***TAIYUAN WATER INDUSTRIAL CO.LTD***

located in Shanxi China, is specialized in mafufacturing Pipe Fittings since 2002.





Item	Description	Unit Weight
	mm	kg
1	50/63	4.5
2	65/75	5.8
3	80/90	6.5
4	100/110	8
5	125/125	12.5
6	140/140	13.5
7	150/160	16.5
8	150/180	17.5
9	200/200	22.5
10	200/225	23.5
11	250/250	28
12	300/315	42.5
13	400/400	82

Item	Description	Unit Weight
	mm	kg
1	63	4.5
2	75	6.5
3	90	7.5
4	110	9
5	160	14
6	200	24
7	225	27
8	250	30.5
9	315	42.5

Your Investment, Our Commitment .....

email:info@tawilinc.com Tel:0086 351 7239569 Fax:0086 351 5698354

WIDE RANGE
FLANGE ADAPTER PN10/PN16

TAWIL *is short name of* ***TAIYUAN WATER INDUSTRIAL CO.LTD***

located in Shanxi China, is specialized in mafufacturing Pipe Fittings since 2002.





Item	Description		Unit Weight
	DN	PIPE OD	
	mm	mm	kg
1	DN50-2"	(59-73mm)	3.6
2	DN65-2.5"	(72-85mm)	4.8
3	DN80-3"	(88-103mm)	6.4
4	DN100-4"	(108-128mm)	7.1
5	DN125-5"	(132-146mm)	9.5
6	DN150-6"	(158-181mm)	11.6
7	DN175-7"	(192-209mm)	15.8
8	DN200-8"	(218-235mm)	15.8
9	DN225-9"	(250-267mm)	18.7
10	DN250-10"	(262-289mm)	21.5
11	DN300-12"	(315-332mm)	25.3
12	DN300-12"	(322-339mm)	26.4
13	DN300-12"	(340-360mm)	27.5
14	DN350-14"	(351-368mm)	40.2
15	DN350-14"	(374-391mm)	41.8
16	DN400-16"	(400-429mm)	49.5
17	DN400-16"	(425-442mm)	52.8
18	DN450-18"	(455-472mm)	57.2
19	DN450-18"	(476-493mm)	62
20	DN500-20"	(500-532mm)	67
21	DN500-20"	(527-544mm)	68.5
22	DN500-20"	(555-572mm)	70
23	DN500-20"	(566-583mm)	71
24	DN500-20"	(582-599mm)	72
25	DN600-24"	(600-630mm)	83
26	DN600-24"	(630-647mm)	85
27	DN600-24"	(645-662mm)	86
28	DN600-24"	(662-679mm)	87
29	DN600-24"	(675-692mm)	91

Your Investment, Our Commitment .....

email:info@tawilinc.com Tel:0086 351 7239569 Fax:0086 351 5698354

WIDE RANGE
FLEXIBLE COUPLING PN10/PN16

TAWIL *is short name of* ***TAIYUAN WATER INDUSTRIAL CO.LTD***

located in Shanxi China, is specialized in mafufacturing Pipe Fittings since 2002.



Item	Description		Unit Weight
	DN mm	PIPE OD mm	kg
1	DN50-2"	(59-73mm)	3.2
2	DN65-2.5"	(72-85mm)	4.2
3	DN80-3"	(88-103mm)	5.2
4	DN100-4"	(108-128mm)	5.9
5	DN125-5"	(132-146mm)	7.7
6	DN150-6"	(158-181mm)	9.7
7	DN175-7"	(192-209mm)	11.6
8	DN200-8"	(218-235mm)	11.6
9	DN225-9"	(250-267mm)	16.5
10	DN250-10"	(262-289mm)	18.9
11	DN300-12"	(315-332mm)	20.4
12	DN300-12"	(322-339mm)	20.9
13	DN300-12"	(340-360mm)	22
14	DN350-14"	(351-368mm)	31.9
15	DN350-14"	(374-391mm)	33
16	DN400-16"	(400-429mm)	38.5
17	DN400-16"	(425-442mm)	40.7
18	DN450-18"	(455-472mm)	45.1
19	DN450-18"	(476-493mm)	47.3
20	DN500-20"	(500-532mm)	52.8
21	DN500-20"	(527-544mm)	53.9
22	DN500-20"	(555-572mm)	55
23	DN500-20"	(566-583mm)	55
24	DN500-20"	(582-599mm)	57.2
25	DN600-24"	(600-630mm)	71.5
26	DN600-24"	(630-647mm)	72.6
27	DN600-24"	(645-662mm)	74.8
28	DN600-24"	(662-679mm)	77
29	DN600-24"	(675-692mm)	79.2

Your Investment, Our Commitment .....


email:info@tawilinc.com Tel:0086 351 7239569 Fax:0086 351 5698354

FLEXIBLE COUPLING
FOR DUCTILE IRON PIPE ONLY

TAWIL *is short name of* ***TAIYUAN WATER INDUSTRIAL CO.LTD***

located in Shanxi China, is specialized in mafufacturing Pipe Fittings since 2002.





Item	Description		Unit Weight
	DN	PIPE OD	
	mm	mm	kg
1	DN40	56	3
2	DN50	66	4
3	DN60	77	4.5
4	DN65	82	5
5	DN80	98	6
6	DN100	118	6.5
7	DN125	144	8.5
8	DN150	170	11.5
9	DN200	222	14.5
10	DN250	274	21.5
11	DN300	326	24.5
12	DN350	378	35.5
13	DN400	429	42
14	DN450	480	50
15	DN500	532	55.5
16	DN600	635	74.5
17	DN700	738	96
18	DN800	842	120.5
19	DN900	945	162.5
20	DN1000	1048	185
21	DN1100	1152	195
22	DN1200	1255	255
23	DN1400	1462	375
24	DN1500	1565	395
25	DN1600	1668	420
26	DN1800	1875	650
27	DN2000	2082	850

Your Investment, Our Commitment .....

email:info@tawilinc.com Tel:0086 351 7239569 Fax:0086 351 5698354

FLANGE ADAPTER
FOR DUCTILE IRON PIPE ONLY

TAWIL *is short name of* ***TAIYUAN WATER INDUSTRIAL CO.LTD***

located in Shanxi China, is specialized in mafufacturing Pipe Fittings since 2002.

Item	Description		Unit Weight		
	DN	PIPE OD	PN10	PN16	PN25
	mm	mm	kg	kg	kg
1	DN40	56	3.5	3.5	3.5
2	DN50	66	4.5	4.5	4.5
3	DN60	77	5	5	5
4	DN65	82	6	6	6
5	DN80	98	7	7	7
6	DN100	118	8	8	8.8
7	DN125	144	11	11	12
8	DN150	170	13.5	13.5	15
9	DN200	222	18.5	18.5	20
10	DN250	274	25	25	27
11	DN300	326	30.5	30.5	33
12	DN350	378	4.5	43	47
13	DN400	429	54	57	62
14	DN450	480	64	68	74
15	DN500	532	73	77	84
16	DN600	635	87	92.5	102
17	DN700	738	114	120.8	139
18	DN800	842	130	138	159
19	DN900	945	165	175	201
20	DN1000	1048	193	205	246
21	DN1100	1152	259	275	330
22	DN1200	1255	356.5	378	453
23	DN1400	1462	484	513	645
24	DN1500	1565	707	750	945
25	DN1600	1668	990	1050	1365
26	DN1800	1875	1130	1200	1620
27	DN2000	2082	1245	1320	1780

Your Investment, Our Commitment .....

email:info@tawilinc.com Tel:0086 351 7239569 Fax:0086 351 5698354

DISMANTLING JOINT

TAWIL *is short name of* ***TAIYUAN WATER INDUSTRIAL CO.LTD***

located in Shanxi China, is specialized in mafufacturing Pipe Fittings since 2002.





Item	Description	Unit Weight		
	DN mm	PN10 kg	PN16 kg	PN25 kg
1	DN50	14.5	14.5	14.5
2	DN65	16.8	16.8	16.8
3	DN80	18	18	22
4	DN100	22	22	33
5	DN125	28	28	38
6	DN150	30	30	40.5
7	DN200	43	43	58
8	DN250	54	55	82.5
9	DN300	76	84	115
10	DN350	94	107	152
11	DN400	125	147.5	208
12	DN450	145	183.3	265
13	DN500	162	205.8	315
14	DN600	210.6	271.8	395
15	DN700	254	336.8	571
16	DN800	338.8	400	685
17	DN900	438.6	522.6	886
18	DN1000	618.2	716	1050
19	DN1200	778.5	967	1305
20	DN1400	1250	1360	1550
21	DN1500	1450	1510	1850
22	DN1600	1550	1690	2150
23	DN1800	2350	2500	3420
24	DN2000	2650	2930	3750

email:info@tawilinc.com Tel:0086 351 7239569 Fax:0086 351 5698354

WIDE RANGE STEP COUPLING

TAWIL ***is short name of*** ***TAIYUAN WATER INDUSTRIAL CO.LTD***

located in Shanxi China, is specialized in mafufacturing
Pipe Fittings since 2002.



Item	Description	Unit Weight
	mm	kg
1	（59-73mm)/（72-85mm)	5.9
2	(88-103mm)/(108-128mm)	8.3
3	(132-146mm)/(158-181mm)	13.6
4	(192-209mm)/(218-235mm)	16.3
5	(250-267mm)/(262-289mm)	26.5
6	(315-332mm)/（322-339mm)	29.3
7	(322-339mm)/(340-360mm)	30.8
8	(351-368mm)/(374-391mm)	46.2
9	(400-429mm)/(425-442mm)	57
10	(455-472mm)/(476-493mm)	66.3
11	(500-532mm)/(527-544mm)	75.5
12	(600-630mm)/(630-647mm)	101.7

email:info@tawilinc.com Tel:0086 351 7239569 Fax:0086 351 5698354

FLANGE ADAPTOR FOR PVC PE PIPE

TAWIL ***is short name of*** ***TAIYUAN WATER INDUSTRIAL CO.LTD***

located in Shanxi China, is specialized in mafufacturing
Pipe Fittings since 2002.





Flange adaptor for PVC pipes

Item	Description	Unit Weight
	mm	kg
1	50*（50/40）	2.3
2	50*63	2.42
3	63x（60/65)	2.64
4	75x60/65	3.08
5	90x80	3.96
6	110x100	4.4
7	125x125	5.17
8	140x125	5.28
9	160x150	7.59
10	200x200	10.56
11	225x200	10.78
12	250x250	12.65
13	315x300	15.07
14	400x400	26.4

Flange adaptor for PE pipes

Item	Description	Unit Weight
	mm	kg
1	40/40	
2	50*（50/40）	2.3
3	50*63	2.42
4	63x(60/65)	2.64
5	75x60/65	3.08
6	90x80	3.96
7	110x100	4.4
8	125x125	5.17
9	140x125	5.28
10	160x150	7.59
11	200x200	10.56
12	225x200	10.78
13	250x250	12.65
14	315x300	15.07
15	400x400	26.4

email:info@tawilinc.com Tel:0086 351 7239569 Fax:0086 351 5698354